L	Hits	Search Text	DB	Time stamp
Number				-
1	2	(("6249578") or ("6684242")).PN.	USPAT; US-PGPUB	2004/05/11 19:59
-	28152	709/\$.ccls.	USPAT;	2004/05/11
İ			US-PGPUB	19:59
-	11003	((709/220) or (709/223) or (709/224) or	USPAT;	2004/05/04
		(709/225) or (709/227) or (709/228) or (709/230) or (709/250)).CCLS.	US-PGPUB	19:25
-	2898	assess same computer	USPAT;	2004/05/03
		-	US-PGPUB	14:12
-	14784	(assess determine) same network same (connection capabilit\$)	USPAT;	2004/05/03
_	3114	709/\$.ccls. and ((assess determine) same	US-PGPUB USPAT;	14:12 2004/05/03
		network same (connection capabilit\$))	US-PGPUB	14:12
-	1650	(((709/220) or (709/223) or (709/224) or	USPAT;	2004/05/03
		(709/225) or (709/227) or (709/228) or (709/230) or (709/250)).CCLS.) and	US-PGPUB	14:12
		((assess determine) same network same		
	:	(connection capabilit\$))		
-	952	((assess determine) same network same (connection capabilit\$)).ab.	USPAT; US-PGPUB	2004/05/03
_	190	((assess determine) same network same	USPAT;	2004/05/03
-		(capabilit\$)).ab.	US-PGPUB	14:21
-	48	((assess determine) same network same	USPAT;	2004/05/03
_	12	(capabilit\$) same service).ab. ((assess determine) same network same	US-PGPUB USPAT;	14:21 2004/05/03
		(capabilit\$) same service same	US-PGPUB	14:28
		connection).ab.		0004/05/00
_	11	("4864494" "5301359" "5519778" "5625877" "RE35916" "5818814"	USPAT	2004/05/03
		"5878344" "5901352" "6148197"		11.27
		"6177905" "6317594").PN.		0004/05/00
-	195966	<pre>(equipment computer network client) same (configur\$)</pre>	USPAT; US-PGPUB	2004/05/03
-	14704	((equipment computer network client) same	USPAT;	2004/05/03
		(configur\$)).ab.	US-PGPUB	14:30
-	2410	(((equipment computer network client)	USPAT; US-PGPUB	2004/05/03
_	1383	same (configur\$)).ab.) and 709/\$.ccls. (((equipment computer network client)	USPAT;	2004/05/03
		same (configur\$)).ab.) and (((709/220) or	US-PGPUB	14:30
		(709/223) or (709/224) or (709/225) or		
		(709/227) or (709/228) or (709/230) or (709/250)).ccls.)		
-	686	(((equipment computer network client)	USPAT	2004/05/03
		same (configur\$)).ab.) and (((709/220) or		14:30
		(709/223) or (709/224) or (709/225) or (709/227) or (709/228) or (709/230) or		
		(709/250)).CCLS.)		
_	2142	((equipment computer client) same	USPAT;	2004/05/03
_	25	(configurs) same network).ab. ((equipment computer client) same	US-PGPUB	14:30
-	25	((equipment computer client) same (configur\$) same network same	USPAT; US-PGPUB	14:30
		broadband).ab.		
-	10	((equipment computer client) same	USPAT	2004/05/03
		<pre>(configur\$) same network same broadband).ab.</pre>		14:42
-	26	((system) same (configur\$) same network	USPAT	2004/05/03
		same broadband).ab.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	14:40
-	2	(((system) same (configur\$) same network same broadband).ab.) and (((709/220) or	USPAT	2004/05/03
		(709/223) or (709/224) or (709/225) or		
		(709/227) or (709/228) or (709/230) or		
_	1	((709/250)).CCLS.) (((equipment computer client system) same	USPAT	2004/05/03
_	'	((convert\$) same network same	USFAI	14:42
		broadband).ab.) and (((709/220) or		
		(709/223) or (709/224) or (709/225) or		
		(709/227) or (709/228) or (709/230) or (709/250)).CCLS.)		
	1		I	

-	22	5289579.URPN.	USPAT	2004/05/03
				14:43
-	24	((equipment computer client system) same	USPAT	2004/05/03
	1	(convert\$) same network same		14:47
		broadband).ab.		
-	139	determine same (configur\$) same	USPAT	2004/05/03
	1	(capabilit\$ setting) same network same		14:48
	4	service	USPAT	2004/05/03
"	4	(determine same (configur\$) same (capabilit\$ setting) same network same	USPAI	2004/05/03
		service).ab.		14.40
_	5	("5995597" "6012088" "6026151"	USPAT	2004/05/03
		"6049826" "6137805").PN.		14:49
-	13	("5150464" "5321840" "5446897"	USPAT	2004/05/03
	1	"5572528" "5673322" "5694546"		14:52
1		"5708780" "5724510" "5734831"		
		"5745699" "5784555" "5826000"		
1		"5852722").PN.		
-	3	("5475819" "5491800" "5619716").PN.	USPAT	2004/05/03
				14:53
-	14	5852722.URPN.	USPAT	2004/05/03
	_	(11645077211) 777		14:54
-	1	("6459773").PN.	USPAT;	2004/05/03
1_	5	 ("5128619" "6091713" "6215855"	US-PGPUB	15:35
-	5	("5128619" "6091713" "6215855" "6266395" "6292468").PN.	USPAT	2004/05/03
_	5	6266395	USPAT	2004/05/03
]		"6266395" "6292468").PN.	JOINT	15:34
1_	1	6459773.URPN.	USPAT	2004/05/03
	_			15:34
1 -	1256	qualif\$ same (user client computer) same	USPAT;	2004/05/03
		network	US-PGPUB	15:36
_	96	(qualif\$ same (user client computer) same	USPAT;	2004/05/03
		network).ab.	US-PGPUB	15:38
-	11	((qualif\$ same (user client computer)	USPAT;	2004/05/03
1		same network).ab.) and (((709/220) or	US-PGPUB	15:36
		(709/223) or (709/224) or (709/225) or	ļ	
		(709/227) or (709/228) or (709/230) or		1
	22	(709/250)).CCLS.)	110000	2004/05/03
-	33	(qualif\$ same (user client computer) same network).ab.	USPAT	2004/05/03
_	10	((qualif\$ same (user client computer)	USPAT	2004/05/03
		same network).ab.) and 709/\$.ccls.	33171	15:37
-	0	(qualif\$ same (user client computer) same	USPAT	2004/05/03
		network same convert).ab.		15:38
-	0	(qualif\$ same (user client computer) same	USPAT	2004/05/03
		network same broadband).ab.		15:38
-	6	(1 = = , = (USPAT	2004/05/03
	_	network same config\$).ab.		15:40
-	3	user same access same network same	USPAT	2004/05/03
		broadband same qualif\$	Hansa	15:41
1 -	0		USPAT	2004/05/03
_	0	broadband same qualif\$	HEDAT	15:41
		equipment same access same network same broadband same qualif\$	USPAT	2004/05/03
_	o	computer same access same network same	USPAT	2004/05/03
		broadband same qualif\$		15:41
-	1	system same access same network same	USPAT	2004/05/03
		broadband same qualif\$		15:42
-	202	(client user system computer) same access	USPAT	2004/05/03
	1	same network same qualif\$		15:43
-	62		USPAT	2004/05/03
		same network same (assess determin\$) same		15:43
		qualif\$		
-	4	, ,	USPAT	2004/05/03
		access same network same (assess		15:43
_	15	determin\$) same qualif\$).ab.	IICDAM	2004/05/02
_	13	<pre>((client user system computer) same access same network same qualif\$).ab.</pre>	USPAT	2004/05/03 15:46
	L	access same network same quarity).ab.	<u> </u>	113.40

			_	
-	53	1 , ,	USPAT	2004/05/03
		access same network same qualif\$) and 709/\$.ccls.		15:46
_	33		USPAT	2004/05/03
		access same network same qualif\$) and		15:46
		(((709/220) or (709/223) or (709/224) or		
		(709/225) or (709/227) or (709/228) or		
		(709/230) or (709/250)).CCLS.)		0004/05/00
-	29	, , , , , , , , , , , , , , , , , ,	USPAT	2004/05/03
		access same network same (assess determin\$) same qualif\$) and 709/\$.ccls.		15:48
_	15539	network same convert	USPAT	2004/05/03
	10005	necworn banks convers	"	15:48
-	0	(network same service same provide).ab.	USPAT	2004/05/03
İ				15:49
-	1	network same service same provide	USPAT	2004/05/03
	17100	naturally game gamering game numbered	IICDAM	15:49
-	1/109	network same service same provid\$	USPAT	2004/05/03
_	806	network same service same provid\$ same	USPAT	2004/05/03
		broadband		15:50
-	9	((network same service same provid\$ same	USPAT	2004/05/03
		broadband).ab.) and 709/\$.ccls.		16:03
-	0	((network same service same provid\$ same	USPAT	2004/05/03
_	2	broadband).ab.) and 1734499.ap. 734499.ap.	USPAT	16:03 2004/05/03
	2	734499.ap.	USPAI	16:03
_	1	734499.ap.	US-PGPUB	2004/05/03
				16:03
-	68	1 • • • • • • • • • • • • • • • • • • •	USPAT	2004/05/04
	_	broadband).ab.		19:23
-	5	("6084881" "6343083" "6345071"	USPAT	2004/05/04
_	2	"6424657" "6463079").PN. ("6028867" "6249578").PN.	USPAT	19:21
		(0020007 0249070).FN.	OSFAI	19:22
_	2	6249578.URPN.	USPAT	2004/05/04
				19:22
-	2	6249578.URPN.	USPAT	2004/05/04
	1.0	/#4020100# #4700F10# #5010F11#		19:22
-	10	("4232199" "4782519" "5012511" "5086461" "5222125" "5283887"	USPAT	2004/05/04
		"5416833" "5528677" "5557780"		19.22
		"5883946").PN.		
-	15968	(network same (locat\$ physic\$) same	USPAT	2004/05/04
		service)		19:24
-	1138	((network same (locat\$ physic\$) same	USPAT	2004/05/04
1-	1532	service)).ab. ((network same (locat\$ physic\$ config\$)	USPAT	19:24
	1552	same service)).ab.	OSFAI	19:24
-	15169	709/.ccls.	USPAT	2004/05/04
				19:24
-	337	(((network same (locat\$ physic\$ config\$)	USPAT	2004/05/04
	63	same service)).ab.) and 709/.ccls.	Henne	19:24
-	63	<pre>(network same (locat\$ physic\$ config\$) same service same (broadband dsl</pre>	USPAT	2004/05/04
		adsl)).ab.		17.20
-	11025	((709/220) or (709/223) or (709/224) or	USPAT;	2004/05/04
		(709/225) or (709/227) or (709/228) or	US-PGPUB	19:25
		(709/230) or (709/250)).CCLS.		
-	205	((((network same (locat\$ physic\$ config\$)	USPAT;	2004/05/04
1		same service)).ab.) and 709/.ccls.) and (((709/220) or (709/223) or (709/224) or	US-PGPUB	19:25
		((709/220) of (709/223) of (709/224) of (709/225) or (709/227) or (709/228) or		
		(709/230) or (709/250)).ccls.)		
-	4	((network same (locat\$ physic\$ config\$)	USPAT;	2004/05/04
		same service same (broadband dsl	US-PGPUB	19:26
1		adsl)).ab.) and (((709/220) or (709/223)		
1		or (709/224) or (709/225) or (709/227) or (709/228) or (709/230) or		
		(709/228) OF (709/230) OF (709/250)).CCLS.)		
L	L	1 (L	

			r	10004/05/04
-	24	(network same (locat\$ physic\$ config\$)	USPAT	2004/05/04
	1	same service same (broadband dsl adsl)		19:30
		same \$provid\$).ab.		
-	0	6636505.URPN.	USPAT	2004/05/04
				19:28
-	5	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/05/04
		"6424657" "6463079").PN.		19:28
-	2	("6028867" "6249578").PN.	USPAT	2004/05/04
	İ			19:28
-	1	6463079.URPN.	USPAT	2004/05/04
				19:29
-	12	(network same (locat\$ physic\$ config\$)	USPAT	2004/05/04
		same service same (broadband dsl adsl)		19:32
		same request\$).ab.		
-	3	(network same (locat\$ physic\$) same	USPAT	2004/05/04
		<pre>\$config\$ same service same (broadband dsl</pre>	l	19:34
		adsl) same request\$).ab.		
_	3	653486.ap.	USPAT	2004/05/04
		-		19:34
-	1	653486.ap.	US-PGPUB	2004/05/04
		-		19:34
_	4	653486.ap.	USPAT;	2004/05/04
		-	US-PGPUB	19:35
-	0	09653486.ap.	USPAT;	2004/05/04
		_	US-PGPUB	19:35
_	0	10653486.ap.	USPAT;	2004/05/04
		•	US-PGPUB	19:35
-	0	10/653486.ap.	USPAT;	2004/05/04
		•	US-PGPUB	19:35
_	2	"6459773"	USPAT;	2004/05/04
			US-PGPUB	19:36
-	4	653486.ap.	USPAT;	2004/05/10
		•	US-PGPUB	18:14